

# DHQ 5: HAVE YOU TAKEN ANY MEDICATIONS ON THE MEDICATION DEFERRAL LIST IN THE TIME FRAMES INDICATED? (REVIEW THE MEDICATION DEFERRAL LIST)



## Alphabetic Deferral Medications List

The table below contains a list of the deferral medications, reason for deferral and deferral period:

Name	Reason	Deferral Period
Absorica	risk of birth defects	1 month from last dose
Accutane	risk of birth defects	1 month from last dose
Acitretin	risk of birth defects	36 months from last dose
Amnesteem	risk of birth defects	1 month from last dose
Apixaban	may impact clotting	2 days from last dose
Arava	risk of birth defects	2 years from last dose
Arixtra	may impact clotting	2 days from last dose
Aubagio	risk of birth defects	2 years from last dose
Avodart	risk of birth defects	6 months from last dose
Brilinta	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 7 days from last dose</li> <li>• all others: no deferral</li> </ul>
Cellcept	risk of birth defects	6 weeks from last dose
Claravis	risk of birth defects	1 month from last dose
Clopidogrel	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 14 days from last dose</li> <li>• all others: no deferral</li> </ul>
Coumadin	may impact clotting	additional follow up questions are required to determine eligibility
Dabigatran	may impact clotting	2 days from last dose
Dalteparin	may impact clotting	2 days from last dose
Dutasteride	risk of birth defects	6 months from last dose
Edoxaban	may impact clotting	2 days from last dose
Effient	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 3 days from last dose</li> <li>• all others: no deferral</li> </ul>
Eliquis	may impact clotting	2 days from last dose
Enoxaparin	may impact clotting	2 days from last dose
Erivedge	risk of birth defects	2 years from last dose
Etretinate	risk of birth defects	permanent
Experimental Medication	impact may not be known	12 months from last dose, or as indicated by OBMD
Feldene	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 2 days from last dose</li> <li>• all others: no deferral</li> </ul>
Finasteride	risk of birth defects	1 month from last dose
Fondaparinux	may impact clotting	2 days from last dose
Fragmin	may impact clotting	2 days from last dose

*Continued on next page*

# DHQ 5: HAVE YOU TAKEN ANY MEDICATIONS ON THE MEDICATION DEFERRAL LIST IN THE TIME FRAMES INDICATED? (REVIEW THE MEDICATION DEFERRAL LIST)



## Alphabetic Medication Deferral List, continued

Medications with deferrals continued:

Name	Reason	Deferral Period
Heparin, low molecular weight heparin	may impact clotting	7 days from last dose
Hepatitis B Immune Globin (HBIG)	received post exposure to Hepatitis B	3 months from last dose
HIV Prevention, oral (also known as PrEP or PEP) oral	risk of HIV transmission	3 months from last dose
HIV treatment, aka antiretroviral therapy (ART)	risk of HIV transmission	permanent
Injectable HIV Prevention (also known as PrEP or PEP)	risk of HIV transmission	2 years from last dose
Isotretinoin	risk of birth defects	1 month from last dose
Jalyn	risk of birth defects	6 months from last dose
Jantoven	may impact clotting	additional follow up questions are required to determine eligibility
Leflunomide	risk of birth defects	2 years from last dose
Lenalidomide	risk of birth defects	1 month from last dose
Lovenox	may impact clotting	2 days from last dose
Mycophenolate mofetil	risk of birth defects	6 weeks from last dose
Myorisan	risk of birth defects	1 month from last dose
Odomzo	risk of birth defects	2 years from last dose
Piroxicam	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 2 days from last dose</li> <li>• all others: no deferral</li> </ul>
Plavix	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 14 days from last dose</li> <li>• all others: no deferral</li> </ul>
Pradaxa	may impact clotting	2 days from last dose
Prasugrel	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 3 days from last dose</li> <li>• all others: no deferral</li> </ul>
Propecia	risk of birth defects	1 month from last dose
Proscar	risk of birth defects	1 month from last dose
Revlimid	risk of birth defects	1 month from last dose
Rinvoq	risk of birth defects	1 month from last dose
Rivaroxaban	may impact clotting	2 days from last dose

*Continued on next page*

# DHQ 5: HAVE YOU TAKEN ANY MEDICATIONS ON THE MEDICATION DEFERRAL LIST IN THE TIME FRAMES INDICATED? (REVIEW THE MEDICATION DEFERRAL LIST)



## Alphabetic Deferral Medications List, *continued*

Medications with deferrals continued:

Name	Reason	Deferral Period
Savaysa	may impact clotting	2 days from last dose
Sonidegib	risk of birth defects	2 years from last dose
Soriatane	risk of birth defects	3 years from last dose
Sotret	risk of birth defects	1 month from last dose
Tegison	risk of birth defects	permanent
Tenofovir	risk of HIV transmission	3 months from last dose
Teriflunomide	risk of birth defects	2 years from last dose
Thalomid	risk of birth defects	1 month from last dose
Thalidomide	risk of birth defects	1 month from last dose
Ticagrelor	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 7 days from last dose</li> <li>• all others: no deferral</li> </ul>
Ticlid	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 14 days from last dose</li> <li>• all others: no deferral</li> </ul>
Ticlopidine	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 14 days from last dose</li> <li>• all others: no deferral</li> </ul>
Upadacitinib	risk of birth defects	1 month from last dose
Vismodegib	risk of birth defects	2 years from last dose
Vorapaxar	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 1 month from last dose</li> <li>• all others: no deferral</li> </ul>
Warfarin	may impact clotting	additional follow up questions are required to determine eligibility
Warfilone	may impact clotting	additional follow up questions are required to determine eligibility
Xarelto	may impact clotting	2 days from last dose
Zenatane	risk of birth defects	1 month from last dose
Zontivity	inhibits platelet function	<ul style="list-style-type: none"> <li>• platelets: 1 month from last dose</li> <li>• all others: no deferral</li> </ul>